

“Termomont” d.o.o. preduzeće za proizvodnju, inženjering i robni promet uvoz-izvoz

Prhovačka bb, 22310 Šimanovci, Republic of Serbia
Phone/fax: +381 22/480-063, 480-038

e-mail: office@termomont.co.rs
www.termomont.co.rs

VAT ID: 101511113

EC DECLARATION OF CONFORMITY
EU IZJAVA O USAGLAŠENOSTI
ES IZJAVA O SKLADNOSTI

Document No./ Dokument br.: **16 T/23**

Edition / Izdanje: **2.0**

The manufacturer „Termomont“ Ltd, Prhovačka bb, 22310 Šimanovci – Serbia, declares that the following articles:

HELENA 12 meets the requirements COMMISSION REGULATION (EU) 2015/1185 which refers to “Ecodesign” requirements for local solid fuel room heaters:

IX. RESULTS FROM AND OBSERVATIONS :

9.1. Emissions:

9.1. Dust content of exhaust gases: $PM = 19 \text{ mg/Nm}^3 \leq [PM] = 20 \text{ mg/Nm}^3$;
[PM] = 20 mg/Nm³ in accordance with point 2 (a) (iii), of Annex II of the
REGULATION (EU) 2015/1185.
- [PM] $\leq 30 \text{ mg/Nm}^3$ in accordance to BImSchV-norm (without water jacket).

9.2. CO of exhaust gases: $CO^* = 177 \text{ mg/Nm}^3 \leq [CO] = 300 \text{ mg/Nm}^3$;
- [CO] = 300 mg/Nm³ in accordance with point 2 (c) (iii), of Annex II of
the REGULATION (EU) 2015/1185.
- [CO] $\leq 250 \text{ mg/Nm}^3$ in accordance to BImSchV-norm.

9.3. OGC of exhaust gases: $OGC = 55 \text{ mg/Nm}^3 \leq [OGC] = 60 \text{ mg/Nm}^3$;
[OGC] = 60 mg/Nm³ in accordance with point 2 (b) (ii), of Annex II of the
REGULATION (EU) 2015/1185.

9.4. NOx of exhaust gases: $NOx = 195 \text{ mg/Nm}^3 \leq [NOx] = 200 \text{ mg/Nm}^3$.
[NOx] = 200 mg/Nm³ in accordance with point 2 (d) (i), of Annex II of the
REGULATION (EU) 2015/1185.

* Results from the Test Report № 130/29.08.2020 of Laboratory Termoplam Sofia.

9.5. Seasonal space heating energy efficiency:

$$\eta_S = 83,2 \% > [\eta_S] = 79 \%$$

Where:

- $\eta_S = 83,2 \%$ - the seasonal space heating energy efficiency in active mode
is calculated as $\eta_{th,nom}$.

- $\eta_{th,nom} = 91,0 \%$ is the useful efficiency at nominal heat output, based on
NCV. Result from the Test Report № 130/29.08.2020 of Laboratory
Termoplam, Sofia.

- $[\eta_S] \geq 79 \%$ in accordance with point 1 (a) (iii), of Annex II of the
REGULATION (EU) 2015/1185.

- $[\eta_{th,nom}] \geq 85 \%$ in accordance to BImSchV-norm (without water jacket).

"Termomont" d.o.o. preduzeće za proizvodnju, inženjering i robni promet uvoz-izvoz

Prhovačka bb, 22310 Šimanovci, Republic of Serbia
Phone/fax: +381 22/480-063, 480-038

e-mail: office@termomont.co.rs
www.termomont.co.rs

VAT ID: 101511113

Jelena Stojadinović/



Šimanovci, 07.09.2023.

Manufacturer manager / Direktor
proizvođača

Location and date / Mesto i
datum: